


4 Port Dual Profile PCI-Express UART Serial Card

PEX4S552



FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgement elsewhere in the body of this document, StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Table of Contents

Introduction	1
Features	1
Package Contents	1
Installation.....	2
Software (Drivers).....	2
Windows® 2000/XP/Server 2003	2
Windows® XP(x64), Server 2003(x64)	2
Windows Vista™	3
Windows Vista™ (x64).....	3
Hardware Installation.....	4
Verifying Windows Driver Installation.....	4
Specifications	5
Technical Support	6
Warranty Information	6

Introduction

Thank you for purchasing a StarTech.com PEX4S552 4 Port Dual Profile PCI-Express UART Serial Card. Turning a PCI Express slot into four available RS-232 (DB9) serial connections, this innovative card utilizes a native, single-chip design for optimal performance and reliability.

Compatible with a broad range of operating systems, including Windows® 2000/XP/2003/Vista™ (32-bit and 64-bit), Linux Kernel 2.6.11 and up, and MAC OS 10.4 and above, the PEX4S552 PCI Express Serial Card also features an optional low profile bracket that allows the card to be installed in virtually any computer case regardless of the form factor of the case.

Features

- 128-byte deep FIFO per transmitter and receiver
- Automated in-band software flow control using programmable Xon Xoff in both directions
- Automated out-of-band flow control using CTS/RTS and DSR/DTR
- Compliant with PCI Express base specifications revision 1.0a
- Four high speed RS-232 serial ports with data transfer rate up to 460.8 Kbps
- Native single-Chip, single lane PCI Express

Package Contents

- 1 x 4 Port PCI-Express RS-232 Serial Card
- 1 x Driver CD
- 4 x LP brackets
- 1 x Instruction Manual

Installation

Please note: Prior to hardware installation, please ensure that the necessary software has been installed on the host computer as detailed below.

Software (Drivers)

Windows® 2000/XP/Server 2003

1. From the Windows® desktop click **Start**, then **Run**.
2. In the command line that appears, type:
x:\PCIe\MCS9901\XP\PCIeSetup32.exe,
(where **x** represents the location of the CD/DVD-ROM drive).
3. Click on **OK**.
4. Click on **Install** to begin installing the drivers.
5. Click the **Exit** button to complete the driver installation, then shut down the PC.
6. Install the PCIe card in an available PCI Express slot on the host computer. For further reference, please see the section titled **Hardware Installation**.
7. Once the PEX4S552 card has been installed within the system, power up the computer. Once the operating system boots, Windows® will automatically start installing the device driver software.

Windows® XP(x64), Server 2003(x64)

1. From the Windows® desktop click **Start**, then **Run**.
2. In the command line that appears, type:
x:\PCIe\MCS9901\XP64\PCIeSetup64.exe:\PCIe\MCS9901\XP\
PCIeSetup32.exe,
(where **x** represents the location of the CD/DVD-ROM drive).
3. Click on **OK**.
4. Click on **Install** to begin installing the drivers.
5. Click the **Exit** button to complete the driver installation, then shut down

the PC.

6. Install the PCIe card in an available PCI Express slot on the host computer. For further reference, please see the section titled “Hardware Installation”.
7. Once the PEX4S552 card has been installed within the system, power up the computer. Once the operating system boots, Windows® will automatically start installing the device driver software.

Windows Vista™

1. From the Windows® desktop click **Start**, then **Run**.
2. In the command line that appears, type:
x:\PCIe\MCS9901\Vista32\PCIeSetup32.exe
(where **x** represents the location of the CD/DVD-ROM drive)
3. Click on **OK**.
4. Click on **Install** to begin installing the drivers.
5. Click the **Exit** button to complete the driver installation, then shut down the PC.
6. Install the PCIe card in an available PCI Express slot on the host computer. For further reference, please see the section titled **Hardware Installation**.

Windows Vista™ (x64)

1. From the Windows® desktop click **Start**, then **Run**.
2. In the command line that appears, type:
x:\PCIe\MCS9901\Vista64\PCIeSetup64.exe
(where **x** represents the location of the CD/DVD-ROM drive)
3. Click on **OK**.
4. Click on **Install** to begin installing the drivers.
5. Click the **Exit** button to complete the driver installation, then shut down the PC.

6. Install the PCIe card in an available PCI Express slot on the host computer. For further reference, please see the section titled **Hardware Installation**.

Hardware Installation

1. Turn off the power to the computer.
2. Unplug the power cord and remove your computer's cover.
3. Remove the slot bracket from an available PCIe slot.
4. To install the card, carefully align the card's bus connector with the selected PCIe slot on the motherboard. Push the board down firmly.
5. Replace the slot bracket holding screw to secure the card.
6. Replace the computer cover and reconnect the power cord.

Verifying Windows Driver Installation

1. Right click **My Computer**, then click **Manage**. Click **Device Manager**.
2. Click on the +(plus sign) in front of Ports in the right pane (COM & LPT). Four High-Speed PCIe Serial Port should be displayed.

Specifications

Specification	PEX4S552
Bus Type	PCI Express
Chipset	MOSCHIP MCS9901
Power Output	Selectable Output from Pin 9 of Serial Port
Operating Systems Supported	Windows 2000/XP/2003/Vista™ (x32 and x64) Linux Kernel 2.6.11 & above MAC 10.4 & above

Technical Support

StarTech.com's lifetime technical support is an integral part of our commitment to provide industry-leading solutions. If you ever need help with your product, visit www.startech.com/support and access our comprehensive selection of online tools, documentation, and downloads.

Warranty Information

This product is backed by a lifetime warranty.

In addition, StarTech.com warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. StarTech.com does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.



StarTech.com has been making “hard-to-find easy” since 1985, providing high quality solutions to a diverse IT and A/V customer base that spans many channels, including government, education and industrial facilities to name just a few. We offer an unmatched selection of computer parts, cables, A/V products, KVM and Server Management solutions, serving a worldwide market through our locations in the United States, Canada, the United Kingdom and Taiwan.

Visit **www.startech.com** today for complete information about all our products and to access exclusive interactive tools such as the Cable Finder, Parts Finder and the KVM Reference Guide.